

Antiretroviral drugs for treating pregnant women and preventing HIV

Warning: DOMDocument::loadHTML(): htmlParseEntityRef: expecting ';' in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63 Warning: DOMDocument::loadHTML(): htmlParseEntityRef: expecting ';' in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63 Warning: DOMDocument::loadHTML(): htmlParseEntityRef: expecting ';' in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63 Warning: DOMDocument::loadHTML(): Opening and ending tag mismatch: p and i in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63 Warning: DOMDocument::loadHTML(): Unexpected end tag : i in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63 Warning: DOMDocument::loadHTML(): Unexpected end tag : p in Entity, line: 6 in /home/gender/public_html/plugins/content/image/emogrifier.php on line 63

AUTHOR: World Health Organisation (WHO)

DATE: 2004

PUBLISHER: World Health Organisation (WHO)

The publication summarizes existing evidence on the use of antiretroviral drugs for preventing mother-to-child transmission of HIV and makes recommendations on the choice of regimens in the context of expanding access to antiretroviral treatment.

Article can be accessed on-line [here](#) in PDF format.

To view PDF documents you will need to download and install Adobe Acrobat Reader. The program is available for free through the Adobe website, download [here](#). More help is available on PDF documents and Adobe Acrobat Reader

[here](#)